


Maximum reliability. Minimum fuss.



Technical Data Sheet

AVCL and Breather Membrane Tapes



Weatherproofing Products

Application

- + A choice of tapes to seal VCL and breather membrane joints

Key Features

- + Seals over or between membrane joints
- + Coloured tapes provide a visual check to show membrane has been sealed
- + Black facade tape remains hidden in open facade applications

Technical Information

Product data	Code	Type	Adhesive	Colour	For use with	Installation Limits	Width (mm)	Roll Length (m)	Packed Carton
Aluminium Tape	AFT50	Single sided	Acrylic	Silver	Thermo VCL200 Thermo VCL300	Between +4 and +35°C	50	47.5	24
Membrane Sealing Tape	MPT-60 x 25	Single sided	Acrylic	Green	SP100 AVCL170 AVCL250	Between +4 and +35°C	60	25	10
Butyl Tape	VCL-T-2 x 15 x 22.5	Double sided	Butyl	Black	10	Between +4 and +35°C	15	22.5	20
Facade Tape	UV-75 x 25	Single sided	Acrylic	Black	Long term	Between +4 and +35°C	75	25	10



Merlin House
Seven Mile Lane
Borough Green
Sevenoaks
Kent
TN15 8QY

Enquiries

0845 450 7483

International

+44 (0) 1732 882387

Fax

0845 450 7486

Email

info@fixfast.com



Certificate number 10905
ISO 9001, ISO 14001
OHSAS 18001